

**NeXtal PEGs II Suite**

Version 2.0

Revision Date 04/02/2020

Print Date 04/02/2020

**SECTION 1. IDENTIFICATION**

Product name : NeXtal PEGs II Suite

**Manufacturer or supplier's details**Company : NeXtal  
6201 Trust Dr  
Holland, OH 43528  
USA

Telephone : 419-740-6600

E-mail Address : [www.calibrescientific.com](http://www.calibrescientific.com)Emergency telephone : CHEMTREC  
USA & Canada 1-800-424-9300  
Outside USA & Canada (703) 527-3887  
Chemtrec ID# 696910**Recommended use of the chemical and restrictions on use**

Recommended use : Laboratory chemicals

**SECTION 2. HAZARDS IDENTIFICATION****GHS Classification**Flammable liquids : Category 2  
Skin irritation : Category 2  
Eye irritation : Category 2A  
Respiratory sensitization : Category 1  
Skin sensitization : Category 1  
Carcinogenicity : Category 1A  
Reproductive toxicity : Category 1B  
Specific target organ systemic toxicity - single exposure : Category 3 (Respiratory system, Central nervous system)  
Specific target organ : Category 2

## NeXtal PEGs II Suite

Version 2.0

Revision Date 04/02/2020

Print Date 04/02/2020

systemic toxicity - repeated exposure

Acute aquatic toxicity : Category 2

Chronic aquatic toxicity : Category 2

### GHS Label element

Hazard pictograms :



Signal Word : Danger

Hazard Statements :

- H225 Highly flammable liquid and vapor.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- H335 May cause respiratory irritation.
- H336 May cause drowsiness or dizziness.
- H350 May cause cancer.
- H360 May damage fertility or the unborn child.
- H373 May cause damage to organs through prolonged or repeated exposure.
- H411 Toxic to aquatic life with long lasting effects.

Precautionary Statements :

**Prevention:**

- P201 Obtain special instructions before use.
- P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
- P260 Do not breathe dust/fumes/gas/mist/vapors/spray.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P284 Wear respiratory protection.

**Response:**

- P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.
- P308 + P313 IF exposed or concerned: Get medical advice/attention.

### Other hazards

None known.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Substance name : Semifinished Pegs II

### Hazardous ingredients

**NeXtal PEGs II Suite**

Version 2.0

Revision Date 04/02/2020

Print Date 04/02/2020

| Chemical Name                      | CAS-No.     | Concentration (% w/w) |
|------------------------------------|-------------|-----------------------|
| PEG                                | 25322-68-3  | >= 20 - < 30          |
| 2-propanol                         | 67-63-0     | >= 20 - < 30          |
| lithium sulfate, monohydrate       | 10102-25-7  | >= 10 - < 20          |
| ethane-1,2-diol                    | 107-21-1    | >= 1 - < 10           |
| glycerol                           | 56-81-5     | >= 1 - < 10           |
| zinc acetate dihydrate             | 5970-45-6   | >= 1 - < 10           |
| lithium chloride                   | 7447-41-8   | >= 1 - < 10           |
| Magnesium chloride, hexahydrate    | 7791-18-6   | >= 1 - < 10           |
| calcium acetate hydrate            | 114460-21-8 | >= 1 - < 10           |
| calcium chloride dihydrate         | 10035-04-8  | >= 1 - < 10           |
| 4-Morpholineethanesulfonic acid    | 145224-94-8 | >= 1 - < 10           |
| imidazole                          | 288-32-4    | >= 0.1 - < 1          |
| Zinc sulfate, heptahydrate (1:1:7) | 7446-20-0   | >= 0.1 - < 1          |
| nickel chloride                    | 7791-20-0   | >= 0.1 - < 1          |

**SECTION 4. FIRST AID MEASURES**

- General advice : Move out of dangerous area.  
Show this material safety data sheet to the doctor in attendance.
- If inhaled : Call a physician or poison control center immediately.  
If unconscious place in recovery position and seek medical advice.  
Keep respiratory tract clear.
- In case of skin contact : Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.  
If symptoms persist, call a physician.
- In case of eye contact : Immediately flush eye(s) with plenty of water.  
Remove contact lenses.  
Protect unharmed eyes.  
Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.
- If swallowed : If accidentally swallowed obtain immediate medical attention.  
Rinse mouth with water.  
Never give anything by mouth to an unconscious person.
- Most important symptoms and effects, both acute and delayed : Causes skin irritation.  
May cause an allergic skin reaction.  
Causes serious eye irritation.  
May cause allergy or asthma symptoms or breathing difficulties if inhaled.  
May cause respiratory irritation.  
May cause drowsiness or dizziness.  
May cause cancer by inhalation.  
May damage fertility or the unborn child.  
May cause damage to organs through prolonged or repeated exposure if swallowed.

**NeXtal PEGs II Suite**

Version 2.0

Revision Date 04/02/2020

Print Date 04/02/2020

Notes to physician : No information available.

---

**SECTION 5. FIRE-FIGHTING MEASURES**

- Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
- Specific hazards during fire fighting : Do not allow run-off from firefighting to enter drains or water courses.  
Exposure to decomposition products may be a hazard to health.
- Hazardous combustion products : Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).  
Carbon oxides  
Sulfur oxides  
Metal oxides  
Magnesium oxides  
Chlorine compounds  
Hydrogen chloride gas  
Nitrogen oxides (NOx)
- Specific extinguishing methods : In the event of fire and/or explosion do not breathe fumes.  
Use a water spray to cool fully closed containers.
- Special protective equipment for fire-fighters : Wear self-contained breathing apparatus for firefighting if necessary.

---

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Ensure adequate ventilation.  
Remove all sources of ignition.  
Evacuate personnel to safe areas.  
Avoid breathing dust/fumes/gas/mist/vapors/spray.  
Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.
- Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.
- Methods and materials for containment and cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

**NeXtal PEGs II Suite**

Version 2.0

Revision Date 04/02/2020

Print Date 04/02/2020

**SECTION 7. HANDLING AND STORAGE**

- Advice on protection against fire and explosion : Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Use only explosion-proof equipment. Keep away from open flames, hot surfaces and sources of ignition.
- Advice on safe handling : Avoid formation of aerosol.  
Do not breathe vapors/dust.  
Avoid exposure - obtain special instructions before use.  
Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Provide sufficient air exchange and/or exhaust in work rooms.  
Open drum carefully as content may be under pressure.  
Dispose of rinse water in accordance with local and national regulations.  
Persons susceptible to skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.
- Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
- Materials to avoid : Do not store together with oxidizing and self-igniting products.

**SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**
**Ingredients with workplace control parameters**

| Ingredients     | CAS-No.    | Value type<br>(Form of exposure) | Control parameters /<br>Permissible concentration | Basis     |
|-----------------|------------|----------------------------------|---|-----------|
| PEG             | 25322-68-3 | TWA                              | 10 mg/m <sup>3</sup>                              | US WEEL   |
|                 |            | TWA<br>(aerosol)                 | 10 mg/m <sup>3</sup>                              | US WEEL   |
| 2-propanol      | 67-63-0    | TWA                              | 200 ppm   | ACGIH     |
|                 |            | STEL                             | 400 ppm   | ACGIH     |
|                 |            | TWA                              | 400 ppm<br>980 mg/m <sup>3</sup>                  | NIOSH REL |
|                 |            | ST                               | 500 ppm<br>1,225 mg/m <sup>3</sup>                | NIOSH REL |
|                 |            | TWA                              | 400 ppm<br>980 mg/m <sup>3</sup>                  | OSHA Z-1  |
|                 |            | TWA                              | 400 ppm<br>980 mg/m <sup>3</sup>                  | OSHA P0   |
|                 |            | STEL                             | 500 ppm<br>1,225 mg/m <sup>3</sup>                | OSHA P0   |
|                 |            |                                  |   |           |
| ethane-1,2-diol | 107-21-1   | C                                | 50 ppm<br>125 mg/m <sup>3</sup>                   | OSHA P0   |
|                 |            | C                                | 100 mg/m <sup>3</sup>                             | ACGIH     |

**NeXtal PEGs II Suite**

Version 2.0

Revision Date 04/02/2020

Print Date 04/02/2020

|                 |           |                                  |                      |           |
|-----------------|-----------|----------------------------------|----------------------|-----------|
|                 |           | C (Aerosol only)                 | 100 mg/m3            | ACGIH     |
| glycerol        | 56-81-5   | TWA (mist, respirable fraction)  | 5 mg/m3              | OSHA Z-1  |
|                 |           | TWA (mist, total dust)           | 15 mg/m3             | OSHA Z-1  |
|                 |           | TWA (Total)                      | 10 mg/m3             | OSHA P0   |
|                 |           | TWA (Respirable fraction)        | 5 mg/m3              | OSHA P0   |
|                 |           | TWA                              | 10 mg/m3             | ACGIH     |
|                 |           | TWA (Mist - total dust)          | 10 mg/m3             | OSHA P0   |
|                 |           | TWA (Mist - respirable fraction) | 5 mg/m3              | OSHA P0   |
| nickel chloride | 7791-20-0 | TWA                              | 1 mg/m3 (Nickel)     | OSHA Z-1  |
|                 |           | TWA (Inhalable fraction)         | 0.1 mg/m3 (Nickel)   | ACGIH     |
|                 |           | TWA                              | 0.1 mg/m3 (Nickel)   | OSHA P0   |
|                 |           | TWA                              | 0.015 mg/m3 (Nickel) | NIOSH REL |
|                 |           | TWA                              | 1 mg/m3 (Nickel)     | OSHA Z-1  |
|                 |           | TWA (Inhalable fraction)         | 0.1 mg/m3 (Nickel)   | ACGIH     |
|                 |           | TWA                              | 0.1 mg/m3 (Nickel)   | OSHA P0   |
|                 |           | TWA                              | 0.015 mg/m3 (Nickel) | NIOSH REL |

**Hazardous components without workplace control parameters**

| Ingredients                        | CAS-No.     |
|------------------------------------|-------------|
| lithium sulfate, monohydrate       | 10102-25-7  |
| zinc acetate dihydrate             | 5970-45-6   |
| lithium chloride                   | 7447-41-8   |
| Magnesium chloride, hexahydrate    | 7791-18-6   |
| calcium acetate hydrate            | 114460-21-8 |
| calcium chloride dihydrate         | 10035-04-8  |
| 4-Morpholineethanesulfonic acid    | 145224-94-8 |
| imidazole                          | 288-32-4    |
| Zinc sulfate, heptahydrate (1:1:7) | 7446-20-0   |

**Biological occupational exposure limits**

| Ingredients | CAS-No. | Control parameters | Biological specimen | Sampling time | Permissible concentration | Basis |
|-------------|---------|--------------------|---------------------|---------------|---------------------------|-------|
|             | 67-63-0 | Acetone            | Urine               | End of        | 40 mg/l                   | ACGIH |

**NeXtal PEGs II Suite**

Version 2.0

Revision Date 04/02/2020

Print Date 04/02/2020

|  |  |  |  |                                |  |     |
|--|--|--|--|--------------------------------|--|-----|
|  |  |  |  | shift at<br>end of<br>workweek |  | BEI |
|--|--|--|--|--------------------------------|--|-----|

**Personal protective equipment**

- Respiratory protection : In the case of vapor formation use a respirator with an approved filter.
- Hand protection  
Material : Protective gloves
- Remarks : The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact).
- Eye protection : Tightly fitting safety goggles  
Wear face-shield and protective suit for abnormal processing problems.  
Do not wear contact lenses.  
Ensure that eyewash stations and safety showers are close to the workstation location.
- Skin and body protection : Choose body protection according to the amount and concentration of the dangerous substance at the workplace.  
Footwear protecting against chemicals  
Workers should wear antistatic footwear.
- Hygiene measures : Keep away from food and drink.  
Wash hands before breaks and at the end of workday.  
Ensure adequate ventilation, especially in confined areas.  
Keep working clothes separately.  
Avoid contact with the skin and the eyes.  
When using do not eat, drink or smoke.

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

- Appearance : liquid
- Color : No data available
- Odor : No data available
- Odor Threshold : No data available
- pH : No data available
- Melting point/range : No data available
- Boiling point/boiling range : No data available
- Flash point : No data available

**NeXtal PEGs II Suite**

| Version 2.0                            | Revision Date 04/02/2020 | Print Date 04/02/2020 |
|--|--------------------------|-----------------------|
| Evaporation rate                       | : No data available      |                       |
| Burning rate                           | : No data available      |                       |
| Upper explosion limit                  | : No data available      |                       |
| Lower explosion limit                  | : No data available      |                       |
| Vapor pressure                         | : No data available      |                       |
| Relative vapor density                 | : No data available      |                       |
| Relative density                       | : No data available      |                       |
| Density                                | : No data available      |                       |
| Solubility(ies)                        |                          |                       |
| Water solubility                       | : No data available      |                       |
| Solubility in other solvents           | : No data available      |                       |
| Partition coefficient: n-octanol/water | : No data available      |                       |
| Autoignition temperature               | : No data available      |                       |
| Decomposition temperature              | : No data available      |                       |
| Viscosity                              |                          |                       |
| Viscosity, dynamic                     | : No data available      |                       |
| Viscosity, kinematic                   | : No data available      |                       |
| Explosive properties                   | : No data available      |                       |
| Oxidizing properties                   | : No data available      |                       |

---

**SECTION 10. STABILITY AND REACTIVITY**

|                                    |  |
|------------------------------------|--|
| Reactivity                         | : No decomposition if stored and applied as directed.  |
| Chemical stability                 | : No decomposition if stored and applied as directed.  |
| Possibility of hazardous reactions | : Stable under recommended storage conditions.<br>Hazardous decomposition products formed under fire conditions.<br>Vapors may form explosive mixture with air.<br>Keep away from oxidizing agents, and acidic or alkaline products. |
| Conditions to avoid                | : Heat, flames and sparks.   |
| Incompatible materials             | : No data available  |
| Hazardous decomposition products   | : No decomposition if stored and applied as directed.  |



**NeXtal PEGs II Suite**

Version 2.0

Revision Date 04/02/2020

Print Date 04/02/2020

**SECTION 11. TOXICOLOGICAL INFORMATION****Acute toxicity**

Not classified based on available information.

**Product:**

Acute oral toxicity : Acute toxicity estimate: 2,264 mg/kg  
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 40 mg/l  
Exposure time: 4 h  
Test atmosphere: vapor  
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 5,000 mg/kg  
Method: Calculation method

**Ingredients:****PEG:**

Acute inhalation toxicity : No data available

Acute dermal toxicity : No data available

**2-propanol:**

Acute oral toxicity : LD50 Oral (Rat): 5,045 mg/kg

Acute dermal toxicity : LD50 Dermal (Rabbit): 12,800 mg/kg

**lithium sulfate, monohydrate:**

Acute oral toxicity : LD50 Oral (Rat): 613 mg/kg

**ethane-1,2-diol:**

Acute oral toxicity : LD50 Oral (Rat): 4,700 mg/kg

Acute dermal toxicity : LD50 Dermal (Rabbit): 10,626 mg/kg

**glycerol:**

Acute oral toxicity : LD50 Oral (Rat): 12,000 mg/kg

Acute dermal toxicity : LD50 Dermal (Rabbit): 10,000 mg/kg

**zinc acetate dihydrate:**

Acute oral toxicity : LD50 Oral (Rat): 794 mg/kg

**lithium chloride:**

Acute oral toxicity : LD50 Oral (Rat): 526 mg/kg

**Magnesium chloride, hexahydrate:**

**NeXtal PEGs II Suite**

Version 2.0

Revision Date 04/02/2020

Print Date 04/02/2020

Acute oral toxicity : LD50 Oral (Rat): 8,100 mg/kg

**calcium acetate hydrate:**

Acute oral toxicity : LD50 Oral (Rat): 4,280 mg/kg

**imidazole:**

Acute oral toxicity : LD50 Oral (Rat): 970 mg/kg

**Zinc sulfate, heptahydrate (1:1:7):**

Acute oral toxicity : LD50 Oral (Rat): 2,150 mg/kg

**nickel chloride:**

Acute oral toxicity : LD50 Oral (Rat): 105 mg/kg

**Skin corrosion/irritation**

Causes skin irritation.

**Product:**

Remarks:

May cause skin irritation and/or dermatitis.

**Ingredients:****2-propanol:**

Species: Rabbit

Result: Mild skin irritation

**glycerol:**

Species: Rabbit

Exposure time: 24 h

Result: Mild skin irritation

**Serious eye damage/eye irritation**

Causes serious eye irritation.

**Product:**

Remarks:

May cause irreversible eye damage.

**Ingredients:****2-propanol:**

Species: Rabbit

Result: Eye irritation

Exposure time: 24 h

**glycerol:**

Species: Rabbit

Result: Mild eye irritation

Exposure time: 24 h

**Respiratory or skin sensitization**

Skin sensitization: May cause an allergic skin reaction.

Respiratory sensitization: May cause allergy or asthma symptoms or breathing difficulties if inhaled.

**Product:**

**NeXtal PEGs II Suite**

Version 2.0

Revision Date 04/02/2020

Print Date 04/02/2020

**Remarks:**

Causes sensitization. May cause sensitization by inhalation and skin contact.

**Germ cell mutagenicity**

Not classified based on available information.

**Carcinogenicity**

May cause cancer by inhalation.

**IARC**

Group 1: Carcinogenic to humans

Nickel chloride

7791-20-0

**OSHA**

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

**NTP**

Known to be human carcinogen

Nickel chloride

7791-20-0

**Reproductive toxicity**

May damage fertility or the unborn child.

**STOT-single exposure**

May cause respiratory irritation.

May cause drowsiness or dizziness.

**Ingredients:****2-propanol:**

Assessment: May cause drowsiness or dizziness.

**STOT-repeated exposure**

May cause damage to organs (Kidney) through prolonged or repeated exposure if swallowed.

**Aspiration toxicity**

Not classified based on available information.

**Further information****Product:****Remarks:**

Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.

Concentrations substantially above the TLV value may cause narcotic effects.

Solvents may degrease the skin.

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity****Product:**

Toxicity to fish : No data available

Toxicity to algae : No data available

Toxicity to bacteria : No data available

**NeXtal PEGs II Suite**

Version 2.0

Revision Date 04/02/2020

Print Date 04/02/2020

**Ingredients:****PEG:**

Toxicity to fish : (Leuciscus idus (Golden orfe)): > 500 mg/l  
Exposure time: 96 h  
Test Type: static test

**2-propanol:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 9,640 mg/l  
Exposure time: 96 h

Toxicity to algae : EC50 (Desmodesmus subspicatus (Scenedesmus subspicatus)): 2,000 mg/l  
Exposure time: 72 h

**ethane-1,2-diol:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 18,500 mg/l  
Exposure time: 96 h  
NOEC (Pimephales promelas (fathead minnow)): 39,140 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 41,000 mg/l  
Exposure time: 48 h

**glycerol:**

Toxicity to fish : LC0 (Leuciscus idus (Golden orfe)): > 250 mg/l  
Exposure time: 48 h

**zinc acetate dihydrate:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.55 mg/l  
Exposure time: 96 h

**lithium chloride:**

Toxicity to fish : LC50: 17 mg/l  
Exposure time: 96 h

**imidazole:**

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): 283.6 mg/l  
Exposure time: 48 h  
Test Type: static test

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 341.5 mg/l  
Exposure time: 48 h

Toxicity to algae : EC50 (Scenedesmus quadricauda (Green algae)): 133 mg/l  
Exposure time: 72 h  
Test Type: static test

Toxicity to bacteria : 45 mg/l  
Exposure time: 0.5 h

**Zinc sulfate, heptahydrate (1:1:7):**

Toxicity to fish : LC50 (Fish): 1 mg/l  
Exposure time: 96 h

**nickel chloride:**

**NeXtal PEGs II Suite**

Version 2.0

Revision Date 04/02/2020

Print Date 04/02/2020

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.51 mg/l  
Exposure time: 48 h

**Persistence and degradability**

No data available

**Bioaccumulative potential****Product:**

Bioaccumulation : No data available

**Mobility in soil**

No data available

**Other adverse effects****Product:**

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82  
Protection of Stratospheric Ozone - CAA Section 602 Class I  
Substances  
Remarks: This product neither contains, nor was  
manufactured with a Class I or Class II ODS as defined by the  
U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A +  
B).

Additional ecological information : An environmental hazard cannot be excluded in the event of  
unprofessional handling or disposal.  
Toxic to aquatic life with long lasting effects.

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**

Waste from residues : The product should not be allowed to enter drains, water  
courses or the soil.  
Send to a licensed waste management company.  
Dispose of as hazardous waste in compliance with local and  
national regulations.

Contaminated packaging : Dispose of as unused product.  
Do not re-use empty containers.

**SECTION 14. TRANSPORT INFORMATION****IATA-DGR**

UN/ID No. : UN 1993  
Proper shipping name : Flammable liquid, n.o.s.  
(ISOPROPANOL)  
Class : 3  
Packing group : II  
Labels : Flammable Liquids

**NeXtal PEGs II Suite**

Version 2.0

Revision Date 04/02/2020

Print Date 04/02/2020

**IMDG-Code**

UN number : UN 1993  
Proper shipping name : FLAMMABLE LIQUID, N.O.S.  
(ISOPROPANOL)  
Class : 3  
Packing group : II  
Labels : 3  
EmS Code : F-E, S-E  
Marine pollutant : yes

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**Domestic regulation****49 CFR**

UN/ID/NA number : UN 1993  
Proper shipping name : FLAMMABLE LIQUIDS, N.O.S.  
(ISOPROPANOL)  
Class : 3  
Packing group : II  
Labels : Class 3 - Flammable Liquid  
ERG Code : 128  
Marine pollutant : yes(ZINC ACETATE, ZINC SULFATE HEPTAHYDRATE)

---

**SECTION 15. REGULATORY INFORMATION****EPCRA - Emergency Planning and Community Right-to-Know****SARA 304 Extremely Hazardous Substances Reportable Quantity**

This material does not contain any components with a section 304 EHS RQ.

**SARA 311/312 Hazards** : Fire Hazard  
Acute Health Hazard  
Chronic Health Hazard

**SARA 302** : No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

**SARA 313** : The following components are subject to reporting levels established by SARA Title III, Section 313:

|                                       |           |
|---------------------------------------|-----------|
| ethane-1,2-diol                       | 107-21-1  |
| zinc acetate dihydrate                | 5970-45-6 |
| Zinc sulfate,<br>heptahydrate (1:1:7) | 7446-20-0 |
| nickel chloride                       | 7791-20-0 |

**US State Regulations**

**NeXtal PEGs II Suite**

Version 2.0

Revision Date 04/02/2020

Print Date 04/02/2020

**California Prop. 65**

WARNING! This product contains a chemical known in the State of California to cause cancer.

|                 |           |
|-----------------|-----------|
| nickel chloride | 7791-20-0 |
|-----------------|-----------|

WARNING: This product contains a chemical known in the State of California to cause birth defects or other reproductive harm.

|                 |          |
|-----------------|----------|
| ethane-1,2-diol | 107-21-1 |
|-----------------|----------|

**TSCA list**

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

---

**SECTION 16. OTHER INFORMATION**
**Full text of other abbreviations**

(Q)SAR - (Quantitative) Structure Activity Relationship; ASTM - American Society for the Testing of Materials; bw - Body weight; DIN - Standard of the German Institute for Standardisation; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISO - International Organisation for Standardization; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative; DSL - Domestic Substances List (Canada); KECI - Korea Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); AICS - Australian Inventory of Chemical Substances; IECSC - Inventory of Existing Chemical Substances in China; ENCS - Existing and New Chemical Substances (Japan); ISHL - Industrial Safety and Health Law (Japan); PICCS - Philippines Inventory of Chemicals and Chemical Substances; NZIoC - New Zealand Inventory of Chemicals; TCSI - Taiwan Chemical Substance Inventory; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; DOT - Department of Transportation; EHS - Extremely Hazardous Substance; HMIS - Hazardous Materials Identification System; MSHA - Mine Safety and Health Administration; NFPA - National Fire Protection Association; RCRA - Resource Conservation and Recovery Act; RQ - Reportable Quantity; SARA - Superfund Amendments and Reauthorization Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; GLP - Good Laboratory Practice; ERG - Emergency Response Guide; NTP - National Toxicology Program; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods

Revision Date : 04/02/2020

## NeXtal PEGs II Suite

Version 2.0

Revision Date 04/02/2020

Print Date 04/02/2020

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.